

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"10/539,648"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 16:26
S2	3	(digest with digital with signature with hash with condition\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 16:53
S3	1	(digest with digital with signature with hash with condition\$2) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 16:57
S4	5	(digest with signature with hash with condition \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 16:59
S5	1	(digest with signature with hash with condition \$2) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 16:59
S6	24	(digest with signature with condition\$2) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 17:00
S7	5	(hash with signature with condition\$2 with (cryptography or encrypt \$4)) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 17:57

S8	1	"09/831,071"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 18:00
S9	1169	(hash with signature with (cryptography or encrypt \$4)) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 18:02
S10	26056084	(hash with signature with (cryptography or encrypt \$4)) and (digest) and (condition) @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 18:03
S11	148	(hash with signature with (cryptography or encrypt \$4)) and (digest) and (condition) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 18:03
S12	12	(hash with signature with (cryptography or encrypt \$4)) and (digest) and (content with condition) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 18:04
S13	1	"08/822,732"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 18:20
S14	9	"09/201,475"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 07:32
S15	2	(hash with signature with (cryptography or encrypt \$4)) and (digest with condition) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 08:02
S16	90	(hash with (digest or signature) with (cryptography or encrypt \$4)) and ((digest or signature) with condition) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 08:03

S17	44	(hash with (digest or signature) with (cryptography or encrypt \$4)) and ((digest or signature) with condition) and (("one-way" or (noe adj way)) with hash) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 08:06
S18	97	(hash with (digest or signature) with (cryptography or encrypt \$4)) and ((digest or signature) with (condition \$3 or terms)) and (("one-way" or (noe adj way)) with hash) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 08:52
S19	71	(hash\$3 with (digest or signature) with (cryptography or encrypt \$4)) and ((digest or signature) with (condition \$3 or terms)) and (("one-way" or (noe adj way)) with hash\$3) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/14 09:01
S20	120	(hash\$3 with (digest or signature) with (cryptography or encrypt \$4)) and ((digest or signature) same(condition \$3 or terms)) and (("one-way" or (noe adj way)) with hash\$3) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/14 09:23
S21	195636	((("380") or ("709") or ("726") or ("711") or ("713")).CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/14 17:56
S22	1	"10/539,648"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:56
S23	1	S21 and S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:56

S24	3	(digest with digital with signature with hash with condition\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
S25	3	S21 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
S26	1	(digest with digital with signature with hash with condition\$2) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
S27	1	S21 and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
S28	5	(digest with signature with hash with condition \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
S29	5	S21 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
S30	1	(digest with signature with hash with condition \$2) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
S31	1	S21 and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
S32	24	(digest with signature with condition\$2) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57

S33	15	S21 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
S34	5	(hash with signature with condition\$2 with (cryptography or encrypt \$4)) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
S35	4	S21 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
S36	1	"09/831,071"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
S37	1	S21 and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
S38	1169	(hash with signature with (cryptography or encrypt \$4)) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
S39	729	S21 and S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
S40	26056084	(hash with signature with (cryptography or encrypt \$4)) and (digest) and (condition) @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:58
S41	98389	S21 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:58

S42	148	(hash with signature with (cryptography or encrypt \$4)) and (digest) and (condition) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:58
S43	116	S21 and S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:58
S44	12	(hash with signature with (cryptography or encrypt \$4)) and (digest) and (content with condition) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:58
S45	9	S21 and S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:58
S46	2	(hash with signature with (cryptography or encrypt \$4)) and (digest with condition) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:58
S47	1	S21 and S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:58
S48	9	"09/201,475"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:58
S49	7	S21 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:58
S50	90	(hash with (digest or signature) with (cryptography or encrypt \$4)) and ((digest or signature) with condition) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:59

S51	63	S21 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:59
S52	44	(hash with (digest or signature) with (cryptography or encrypt \$4)) and ((digest or signature) with condition) and (("one-way" or (noe adj way)) with hash) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:59
S53	29	S21 and S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:59
S54	71	(hash\$3 with (digest or signature) with (cryptography or encrypt \$4)) and ((digest or signature) with (condition \$3 or terms)) and (("one-way" or (noe adj way)) with hash\$3) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/14 17:59
S55	54	S21 and S54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:59
S56	120	(hash\$3 with (digest or signature) with (cryptography or encrypt \$4)) and ((digest or signature) same(condition \$3 or terms)) and (("one-way" or (noe adj way)) with hash\$3) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/14 17:59
S57	2	("20060126835").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/04 12:59

S58	209245	((("380") or ("709") or ("726") or ("711") or ("713")).CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/04 14:14
S59	121	(hash\$3 with (digest or signature) with (cryptography or encrypt \$4) and ((digest or signature) same(condition \$3 or terms)) and (("one-way" or (noe adj way)) with hash\$3) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/04 14:14
S60	97	S58 and S59	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 14:14
S61	28	(hash\$3 with (digest or signature) with (cryptography or encrypt \$4) with (connect\$3 or concatenat\$3 or combin \$3)) and ((digest or signature) same (condition\$3 or terms)) and (("one-way" or (noe adj way)) with hash\$3) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/04 14:18
S62	1	"08/822,732"	USPAT	OR	OFF	2010/02/04 14:45
S63	1	"08/822,732"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/04 14:45
S64	1	"09/719,056"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/04 14:47
S65	47831	("713").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/13 11:52

S66	6	((hash\$3 digest or signature) with (cryptography or encrypt \$4) with (connect\$3 or concatenat\$3 or combin \$3) with (condition\$3 or terms or policy) with (data or content)) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/13 11:56
S67	7	((hash\$3 digest or signature) with (cryptography or encrypt \$4) with (connect\$3 or concatenat\$3 or combin \$3) with (condition\$3 or terms or policy) with (data or content)) and @ad < "20031124"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/13 12:00
S68	223	((hash\$3 digest or signature) with (cryptography or encrypt \$4) with (condition\$3 or terms or policy) with (data or content)) and @ad < "20031124"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/13 12:01
S69	274	((hash\$3 digest or signature) with (cryptography or encrypt \$4) with (condition\$3 or terms or policy) with (data or content)) and @ad < "20031124"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:01
S70	94	S65 and S68	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:02

2/ 13/ 2010 3:03:36 PM

C:\Documents and Settings\nwoldemariam\My Documents\EAST\Workspaces\10539648.wsp